

水質基準項目

Table with 4 main sections: H25ダム(上層)検査項目, H25ダム(上層)総括, H26ダム(上層)検査項目, H26ダム(上層)総括. It lists various water quality parameters and their measured values across multiple sampling points.

水質管理目標設定項目

Table with 4 main sections: H25ダム(上層)検査項目, H25ダム(上層)総括, H26ダム(上層)検査項目, H26ダム(上層)総括. It lists management target parameters and their measured values against targets.

独自検査項目

Table with 4 main sections: H25ダム(上層)検査項目, H25ダム(上層)総括, H26ダム(上層)検査項目, H26ダム(上層)総括. It lists unique inspection parameters and their measured values.

平成25—令和5年度 水質検査結果 採水場所: 当別ダム湖・中央 上層(表層水(水深0.5m))

水質基準項目. Table with 4 main columns for water quality parameters: 水質基準項目, H27ダム(上層), H27ダム(上層)総括, H28ダム(上層), and H28ダム(上層)総括. Rows include temperature, pH, various chemical ions, and heavy metals.

水質管理目標設定項目. Table with 4 main columns for water quality management target items: 水質管理目標設定項目, H27ダム(上層), H27ダム(上層)総括, H28ダム(上層), and H28ダム(上層)総括. Rows include specific chemical ions like selenium, cadmium, and various organic substances.

独自検査項目. Table with 4 main columns for independent inspection items: 独自検査項目, H27ダム(上層), H27ダム(上層)総括, H28ダム(上層), and H28ダム(上層)総括. Rows include electrical conductivity, turbidity, and specific contaminants like PFOS and PFOA.



水質基準項目

Table of water quality standards (水質基準項目) showing parameters like temperature, pH, and various chemical substances, measured at R1(H31) Dam and R2 Dam sites.

水質管理目標設定項目

Table of water quality management target setting items (水質管理目標設定項目) for various chemical and physical parameters.

独自検査項目

Table of independently inspected items (独自検査項目) including parameters like electrical conductivity, optical density, and specific chemical concentrations.



