

平成25—令和5年度 水質検査結果 当別分水(採水地点:当別分水施設)

水質基準項目

Table with columns for inspection items (検査項目), standards (水道水質基準), and data for various sampling points (H29, H30) categorized by water quality parameters like temperature, bacteria, and chemicals.

水質管理目標設定項目

Table showing management targets for various water quality parameters, including trace amounts of pesticides and other specific substances.

*検出値と目標値の比の和が1を超えないこと

独自検査項目

Table detailing additional inspection items such as electrical conductivity, alkalinity, and specific chemical concentrations.

平成25—令和5年度 水質検査結果 当別分水(採水地点:当別分水施設)

水質基準項目

Table with 4 main sections: 水質基準項目, R1(H31)当別分水, R1(H31)当別分水総括, R2当別分水, and R2当別分水総括. It lists various water quality parameters like temperature, bacteria, heavy metals, and nutrients across multiple sampling points.

水質管理目標設定項目

Table with 4 main sections: 水質管理目標設定項目, R1(H31)当別分水, R1(H31)当別分水総括, R2当別分水, and R2当別分水総括. It lists target water quality parameters and their compliance status.

*検出値と目標値の比の和が1を超えないこと

独自検査項目

Table with 4 main sections: 独自検査項目, R1(H31)当別分水, R1(H31)当別分水総括, R2当別分水, and R2当別分水総括. It lists additional water quality parameters not covered by standard regulations.

平成25—令和5年度 水質検査結果 当別分水分(採水地点:当別分水分施設)

Table with 4 main columns: 水質基準項目, R3当別分水分, R3当別分水分総括, R4当別分水分, R4当別分水分総括. Rows include items like 水温, 一般細菌, カドミウム, etc.

Table with 4 main columns: 水質管理目標設定項目, R3当別分水分, R3当別分水分総括, R4当別分水分, R4当別分水分総括. Rows include items like アンチモン, ウラン, ニッケル, etc.

Table with 4 main columns: 独自検査項目, R3当別分水分, R3当別分水分総括, R4当別分水分, R4当別分水分総括. Rows include items like 電気伝導率, アルカリ度, 紫外線吸収度, etc.

